23.1, 1



"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Lesa Nelson

Tech Law

921 11th Street

Sacremento, CA 95814

Customer Project:

Bremerton Gas W

8012798VLA

916-497-0438

Order Date: 8/29/2006 **Completion Date:** 8/31/2006

Inquiry #: 1745466.3s

P.O. #:

Rich Howard

Site Name: Bremerton Gas Works

Address:

Pennsylvania Avenue

City/State: Bremerton, WA 98337

Cross Streets:

Based on client-supplied information, fire insurance maps for the following years were identified

1947 - 1 Map 1968 - 1 Map



Limited Permission to Photocopy

Total Maps: 2

Tech Law (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, Ihe client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING/OF-ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

USER'S GUIDE

This User's Guide provides guidelines for accessing Sanborn Map® images and for transferring them to your Word Processor.

Reading Sanborn Maps

- Sanborn Maps document historical property use by displaying property information through words, abbreviations, and map
- Prisymbols. The Sanborn Map Key provides information to help interpret the symbols and abbreviations used on Sanborn Maps.
 - The Key is available from EDR's Web Site at: http://www.edrnet.com/reports/samples/key.pdf

Organization of Electronic Sanborn Image File

- Sanborn Map Report, listing years of coverage
- User's Guide
- Oldest Sanborn Map Image
- Most recent Sanborn Map Image


Navigating the Electronic Sanborn Image File

- 1. Open file on screen.
- 2. Identify TP (Target Property) on the most recent map.
- Find TP on older printed images.
- Using Acrobat® Reader®, zoom to 250% in order to view more clearly. (200-250% is the approximate equivalent scale of hardcopy Sanborn Maps.) Select Tool

"View" asia

tool and d

- A. On the menu bar, click "View" and then "Zoom to..."
- B. Or, use the magnifying tool and drag a box around the TP



Printing a Sanborn Map From the Electonic File

- EDR recommends printing images at 300 dpi (300 dpi prints faster than 600 dpi)
- To print only the TP area, cut and paste from Acrobat to your word processor application.

Acrobat Versions 6 and 7

- 1. Go to the menu bar
- 2. Click the "Select Tool"
- 3. Draw a box around the area selected
- 4. "Right click" on your mouse
- 5. Select "Copy Image to Clipboard"
- 6. Go to Word Processor such as Microsoft Word, paste and print.

[Select Select Data Tool | C.


Acrobat Version 5


- 1. Go to the menu bar
- 2. Click the "Graphics Select Tool"
- 3. Draw a box around the area selected
- 4. Go to "Menu"
- 5. Highlight "Edit"
- Highlight "Copy"
- 7. Go to Word Processor such as Microsoft Word, paste and print.


Important Information about Email Delivery of Electronic Sanborn Map Images

- Images are grouped intro one file, up to 2MB.
- In cases where in excess of 6-7 map years are available, the file size typically exceeds 2MB. In these cases, you will receive multiple files, labeled as "1 of 3", "2 of 3", etc. including all available map years. Due to file size limitations, certain ISPs, including AOL, may occasionally delay or decline to deliver files. Please contact your ISP to identify their specific file size limitations.











"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Lesa Nelson

Tech Law

921 11th Street

Sacremento, CA 95814

Customer Project:

Bremerton Gas W

8012798VLA

916-497-0438

Order Date: 8/29/2006

Completion Date:

a Carre и даци

常见。

 $\cdot:$

: U:

 $A \in \mathcal{A}_{k}^{1}$

. 29%

Inquiry #:

1745466.3s appearanceAppe

P.O. #:

adosd ispues Rich Howard

Site Name: Bremerton Gas Works

Address:

Pennsylvania Avenue

City/State: Bremerton, WA 98337

LA HIEWE applicant Agy

Cross Streets:

Based on client-supplied information, fire insurance maps for the following years were identified

1947 - 1 Map 1968 - 1 Map

Limited Permission to Photocopy

Total Maps: 2

Tech Law (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of some contractions. additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, Is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

USER'S GUIDE

This User's Guide provides guidelines for accessing Sanborn Map® images and for transferring them to your Word Processor.

"Wiew" an. 1 tool and dr

mag

Reading Sanborn Maps

Sanborn Maps document historical property use by displaying property information through words, abbreviations, and map Pri symbols. The Sanborn Map Key provides information to help interpret the symbols and abbreviations used on Sanborn Maps.

The Key is available from EDR!s:Web.Site at: http://www.edrnet.com/reports/samples/key.pdf

Organization of Electronic Sanborn Image File

- Sanborn Map Report, listing years of coverage
- User's Guide
- Oldest Sanborn Map Image
- Most recent Sanborn Map Image

Navigating the Electronic Sanborn Image File

- Open file on screen.
- 2. Identify TP (Target Property) on the most recent map.
- 3. Find TP on older printed images.
- 4. Using Acrobat® Reader®, zoom to 250% in order to view more clearly. (200-250% is the approximate equivalent scale of hardcopy Sanborn Maps.) Select 1
 - A. On the menu bar, click "View" and then "Zoom to..."
 - B. Or, use the magnifying tool and drag a box around the TP



Printing a Sanborn Map From the Electonic File

 EDR recommends printing images at 300 dpi (300 dpi prints faster than 600 dpi) impTo print only the TP area, cut and paste from Acrobat to your word processor application.

file, tro to Acrobat Versions 6 and 7

- 1. Go to the menu bar
- 2. Click the "Select Tool"
- 3. Draw a box around the area selected
- 4. "Right click" on your mouse
- 5. Select "Copy Image to Clipboard"
- 6. Go to Word Processor such as Microsoft Word, paste and print.

() In Select Tag Chiect Data You . Select Too

Graphics Select Tool (G)

- · PP

T- 5 @ 179%


Acrobat Version 5


- 1. Go to the menu bar
- 2. Click the "Graphics Select Tool"
- 3. Draw a box around the area selected
- 4. Go to "Menu"
- 5. Highlight "Edit"
- 6. Highlight "Copy"
- 7. Go to Word Processor such as Microsoft Word, paste and print.

Important Information about Email Delivery of Electronic Sanborn Map Images

- Images are grouped intro one file, up to 2MB.
- In cases where in excess of 6-7 map years are available, the file size typically exceeds 2MB. In these cases, you will receive multiple files, labeled as "1 of 3", "2 of 3", etc. including all available map years. Due to file size limitations, certain ISPs, including AOL, may occasionally delay or decline to deliver files. Please
- contact your ISP to identify their specific file size limitations.







4/3/1/5/1/3/1/2477



Sanborn Map Abbreviations "Linking technology with tradition"




			and the second property of
Abbreviation	on Meaning	Abbreviat	lion Meaning
Appleviation	<u>meaning</u>	Appleain	Self-care Self-Se
A	Automobile (usually designates the location of a garage)	HPFS	High premuse fire service
	, , , , , , , , , , , , , , , , , , , ,	H'dw	H ardware
A in B	Automobile located in baso nmt	Hack	Hackney graddivery, service
AS	Automatic sprinkler	Hardw	H ardware
Abv	Above	Ho Her	Hotol or house (as used to designate a wardhousd
ACS AFA	Automatic chanical sprinkler Automatic fire alarm	H tr Hyd	H eater Hydrant
Agr	Agricultural	пуа	riyulanc
Appts	Apparatus	ICRR	Illinois C mtral Railroad
Apts	Apartments	Imp	I manufacture and a second sec
Asb C1	Asbestos dad	Ins	Insurance
Atf'd	Attended	Insts	Instrummts
Audifm	Aud torium	Ir CI	Iron dad
Auto H o	Automobile houser or garage		A SECTION OF THE PROPERTY OF T
		K of C	Knights of Columbus
В	Basement, boiler or oocaaonaily brick	1 -6	Laboratory
B& S BPOE	Boots and shoes Benevolent & Protective Order of Elks	Lab Lodgʻg	Laboratory Lodging
B Sm	Blacksmith	Luth	Luthctan
B'ldg	Building	Luth'n	Lutheran
B'lr.	B d la	. =====	
8'st	Bassinent	ME	Method si Episcopal
Bak'y	Bakery	Mach'y	M achinery
Bale	Balcony	Mak'r	Maker
Bap	B aptist	Manf'y	M anufactory or factory
Bbl	Barrd	Mdse	Merchandise
B bis	Barrds	Mfy	Manufactory or factory
BE	Brick endosed devator	Mill'y	minutely .
Bill'ds	Billiards Black conith	Mkg Ma	Making was part (2000) - Motor The lag of Settles 11
BI Sm BIk Sm	Blacksmith Blacksmith	Мо	
Bat Bik 2m	Blacksmith Basement	NS	Not garinklered
UX	Basanen		
СВ	Cement brick or concrete block construction	OU	Open under Office
C Br	Concrete brick or cernmt block construction	Off	Office
C ap'cy	Capacity		
Carptr	C arpenter	PO	Post office
CBÉT	Concrete enclosed devator with traps	Paint'g	Painting Property and Lindon
Chem	Chemical	Pat Med	Patont mediaines 3-4 6 (3-4 9-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4
Chinaw	Chinawore or porcdain	Plumb'g	Plumbing Printing
Chine	Chinese	Print'g	Printing 1997 1997
Clo	Clad	QН	Quadruple (firal hydrant
C lo C o	Clothing Company	ųп	Quadruple (firal nyorant
Comp	Composition construction (i.e. stucco) or compressor	RC	Roman Catholic
Comp	Concrete	R'f	Roof'
Confy	Confectionary (candy store)	R'm	Room '
C onfec'y	Confectionary (candy store)	Rep	Repair
C onstr'n	Construction	Rtp'g	Repairing
C orp'n	C orporation	Reposity	Repository
_		Restr't	Restaurant
D	Dwdting	Rf	Roof
DH	Double (fire) hydrant	Rm	Room
DG D#	D ry goods	S	Store
Drs Dwa	Doctor's office Dwdling	SA	Spark arrestor
Dwg	Difference	S Vac	Store portion of building is vacant
E	Open devator	Sal	Saloon
E FI	Each Floor	Sky'ts	Skylights
EI	Electric	Sm	Smith, as in gunsmith or blackenith
Elec	Electrician	Sm H o	Smokchouse
Eng	Engine	Sp/kTrs	Sprinkles
Ent	Entotainmmt	St'ge	Storage
E pisc'l	E piscopal	Sry	stury
ESC	Elevator with self-closing traps	Sta Co-40.	Station
ET Even	Elevator with traps	Staf'y	overable in the
Exch	T dephone exchange Express (as used to designate a ddivery service)	тн	Triple (fire) hydrant
Expr	Express (as used to designate a delivery service)	Td .	Tdephohe
F	Flat (as used to designate a ddivo y so vice)	Tmmits	Tmenmyse of to a Packons
FA	Fire alarm	TESC	Tile enclosed devator with sdf-dosing traps
FE	Fire escape	Tinw	Tinware
F Pump	Fire pump	Trimm'g	Trimming
Fill'g Sta	Filling station, or gar station		
; FI	Floor		Upright appropriation
Fr Attic	Frame constructed attic	Up	Upright
Frat	Fratemity	VP	vertical p pe
Fur	Furnishings	V×	Macant
Fum'g	Furnishings	Vac Ven'd	Vacant Veneered
Furne	Furniture	Ven'r'd	Vmeered
GAR	Grand Army of the Republic	74.1.4	• • • • • • • • • • • • • • • • • • •
GT	Gasoline tank	w	Warer as in warchouse br wareroom
Gal	Galloy	wc	Water closet or toilet
Gall	Gallery	WG	Wire glass dcylights
Gall'y	Gallery	W Ho	Wardhouse
Gan'i	G meral (as used to designate a general store)	WPA	Works Progress Administration
Gents	G mtlemen's	W'ks	Works
Greens'g	Greasing	W hol	Wholesale Working
Gro	Grocery or grocaries	Wkg Woodwkg	Working Woodworking
4	•	11 JULIWAY	Journal King

Environmental Data Resources, Inc.

Your one-stop shop for environmental risk management data.
phone: 800.352.0050 • fax: 800.231.6802 • web: www.edrnet.com



Sanborn Map Legend "Linking technology with tradition"





1-47.					
711 E 1-4 (1/1/1/14/14/14/14/14/14/14/14/14/14/14/1					
I III I I I I I I I I I I I I I I I I	Mixed construction of C.P.	ANSARD ROOF			
BRICK Tet Fire prog(;construction pyROBAR 1st (OR FIRE RESISTIVE CONST'N)	and brick with one wall of	Window opening in first story.			
ACORD Addition in the	CB Solid brids. DOTS REP				
ADOBE Adobe buildirig	Mixed construction of C.B. STEMS II	NDICATE STORIES, Window openings in second and third stories.			
HeiGHT OF BUILD- File Wall a cocker-	C.B. & BR. CONST'N (181 Mac(10)) With 4* brick. C.B. & BR. CONST'N (181 Mac(10)) With 4* brick. C.B. & BR. CONST'N (181 Mac(10)) With 4* brick. RIGHT, I	NG FROM LEFT TO Window openings in			
ING IN FEET FROM MIG OF STALL	C.B. & D. (en FACED) with 4° brick. RIGHT, L	OOKING TOWARD second, fourth stories.			
GFIOUND TO Stone building		BUILDING Windows with wired			
ROOF LINE	C.B. & BR. OONST'N and brick throughout				
Constitution of the second of	ide C'B' er a. Salar bick autoridione 5.	Windows with iron or			
		Windows with iron or tin dad shutters.			
(C.B.) Highlow poccete or carrent block of	const' n	Window goenings tenth			
(CONC.) Concrae or ranforced concrae co	osto [*E*]	O pen devator. Window openings tenth to twenty-second stories			
A view Polising 1 1 1000	gr w brot	2			
(TILE) Tile building	Water pipes and size in inches FE	Frame endosed devator.			
NUMBER OF Brick huilding with frame corolog	(CT)	France - desired all costs of the same			
eTODIES 4	with the pipes of private supply	Frame mdosed devator with traps			
STORIES 4	ESC	Frame midosed devator with sdf dosing traps.			
TWO STORIES 2B Brick building with stone front	U and another than a second				
POSITION ROOF	buildings are official or acqually	Concrete Llock implosed dievator with traps			
T GST TO STATE OF	o (‡ ¾ up on buildings. [TESC]	Tile endosed dwator with sdf doaing traps.			
Brick building with frame side		Brick modosed devator with wired glass door.			
SHINGLE ROOF X (DIVIDED BY FRAME PARTITION)	thest from buildings	Direct House delines with three gold door.			
(VEND) Brick veneered building		IR.CH			
(VEND) Brick veneered building		5 Block Iron chimney			
BRICK 1 st Brick and frame building					
FRAME, BRICK LINED Frame building brick lined	A fire-resistive building built in	Iron chimney			
North Programme 1	FP-1962 1962 with concrete walls and	VP. vertical pipe or IR CH.S.A. SARESTORI			
Fig.FLAT Sig.STOBE Frame building metal dad	(eone.)	stand piper Brck. chmny.			
D = DWELbING Frame building	ATT I	_, _,			
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	— and root <u>A</u>	FA Automatic fire alarm (15) Ground de vation			
A in B =Auncr IN BSMT Iron building		V melical			
LOFT Teoant building occupied by vario	s manufac- A fire-resistive building built in	verticd steam boiler			
1 —	Attent nave e.	EP independent dectrie			
(ASB.CL) Frame building covered with asbes	as (UETAL PAWELS) rectly protected sted frame, con-	plant. 61. Gasoline tank			
NOH COMBUSTIBLE	NONCOMB CEIL'S crete floors and roof on metal	·			
ROOF COVERING OF Brick building with brick or metal	cornice lath, noncombustible ceilings,	Opm under			
ASBESTOS SHINGLES O		Automatic sprinklers Siamese fire			
Fire wall 6 inches above roof	A noncombustible building built	K≻ dept.			
TILL TOP STORY OHLY TOUR CO. CO. C. C. C. C. C.		ALS Automic chemical sprinklers connection			
NC-1962 In 1962 With concrete block walls: Sinde fire					
Servicin Delihing : A MING: (C.B.) unprotected stee columns and					
Fire wall its inches above roof Deams, concrete floors on metal (A) held no cells					
WG. WIRED GLASS .	lath and sted deck roof.	GAY (NOTE UNDER SYMBOL INDICATES PRO-			
Fire wall 36 inches above roo	n ·	TECTEO PORTION OF BUILDING)			
FIRE WALL 48 INCHES ABV. RE. STORE CHARGE COMMENTS	(NS			
- Al many Piv	,	Not sprinklered.			
Figures, 8, 12, 16 indicate thickness	of wall in inches				
Wad withbut opming and size in i		Outside vertical pipe on fire escape			
6 - Astring	- 1 to 1.1	<u>~</u>			
Wall with opmings on floors as de	idistant	FA Fire alarm box.			
II 👝 I sa salada	BLOCK ►€1 m 50' LINE	O' lie daill' soc			
Opening with single iron or tin da	d door is	_			
Opening with double iron or tin d	ad classes	Single hydrant			
Opening with double from or time	ad (loors Width of street (BETWEEN BLOCK LINES, NOT CURB LINES.)	• .			
Opening with starklard fire doors	D.H.	Double hydrant			
Opposing was starked in educas		D come nyaran			
Opmings with wired grass doors		•			
1	T.H.	Triple hydrant.			
(W.T.) WATER TANK	A R diormice to adjoining page.				
Charles Breefer and Charles Control of Charles	24 R d o mce to adjoining page.	Quadruple hydrant of the "High Pressure Fire			
Drive or paesage way	+ Fire mgine house as shown on key map	I.P.F.S. Service*			
The second of th	,ge nouse to snorm or key trop				
Stable Stable	Fire pump				
Stable 200 Hz Stable	· inchants (FA) Fire alarm box of the "High Pressure Fire			
A Autα (Licouse or private garage)	/00\ Hade and such a feet	I.P.F.S.			
A. Auto (glouse or private garage)	(30) Single of market and the				
	g page of p choosed from	== Water pipes of the "High Pressure Fire			
(C.B.) Solid brick with intrior wells of					
(C B. & BR.) C.B. or C.B. and brick mixed	(C.P. a. D.P.) C.R. or C.R. and brick mixed				
+ +12" + Water pipes and hydrants of the "High					
CODING OF STRUCTURAL UNITS FOR FIREPROOF AND NON-COMBUSTIBLE BUILDINGS					
CODING OF STRUCTIONAL UNITS FOR FIREFROOF AND NON-COMBUSTIBLE BUILDINGS					
FRAMING	FLOORS	ROOF			
FRAMING	LOONO				
	l ·				
CODE STRUCTURAL UNIT	CODE STRUCTURAL UNIT	CODE STRUCTURAL UNIT			
Rd nforced C oncrere Frame	Rainforced Concrere	a Reinforced Concrete			
β. Ranforced Concrete Joists Columns, Beams,	Reinforced Concrete with Masonry Units	Reinforced Concrere with Masonry Units.			
Trusses Arches, Masonry Piers.	Pre cast Concrete or Gypsum Slabs or Planks	Reinforced Gypsum Concrere. Pre-cast			
C. Protected Sted Frame	2. Concrete on Metal Lath,	Concrete or Gypsum Slabs or Planks			
D. Individually Protected Sted Jid sts, Cid umns Incombustible Form Boards b Concrete or Gypsum on Metal Lath,					
Beoms, Trusses Arches	Paper-backed Wire Fabric Sted Deck,	Incombustible Form Boards Paper-backed			
E. Indirectly Protected Sted Frma	and C dlular, Ribbed or Corrugated	Wire Fabric, Sted Dedu, and Collular,			
F. Indirectly Protected Sted Joists Columns	Sted Units	Ribbed or Corrugated Sted Units			
Beams Trusses Arches 3. Opm Sted Deck or Grating c Incombustible Composition Boards with Ungredered Steep Express without Insulating					
G. Unprotected Sted Frame H. Unprotected Sted Frame LAND USE CODE APPLICABLE TO CHANCES DIAGRAMMED AFTER 5/69 Maconto via Metal Tiles Maconto via Metal Tiles					
H. Unprotected Sted Joists Columns Beams		Masonry or Metat Tiles			
Trusses Arches	R RESIDENTIAL M MANUFACTURING	d. Sted Deck, Corrugated Metal or Asbestos			
O. Masonry Bearing Widls.	<u> </u>	Protected Meral with or without Insulatioα			
	RT RESIDENTIAL P PUBLIC OR INSTI-	EDD Inc			
The colding for framing floor and roof structoral units as shown above	TRANSIENT TOTIONAL	EDR, Inc.			
is med in describing the avagniction of fire resistive buildings. In add-	C COMMERCIAL UTILITY	· · · · · · · · · · · · · · · · · · ·			
tion, resons for fire red stive building will show the date built and wall		Your one-stop shop for			
construction view ethis than brick. FP buildings have massnry floor, and roof; condiete and/or directly or	W warehouse T TRANSPORTATION	environmental risk			
Problems (we make you and control and cont					
ddeAdiz					
FPX buildings are FP buildings with Infetor walls such as condition of 2000 by Environmental Data Resources Inc. All rights reserved.					
block, garnerA brick, metal or class pands, etc		QTO 253 0050			
blook, gamerA brick, metal or glass pands, etc NC buildings haw unprotected sted framing and fire-resistive but non- masonry Hoors and roof.	Sanborn Maps' are protected by copyright laws. Unauthorized reproduction is strictly prohibited.	800.352.0050 www.edrnet.com			

